

Wood at its best



Our Environmental Product Declaration

In order for environmental product balance sheets to be meaningful, they must be objectively comparable. So to let our customers easily understand and contrast our lifecycle analyses and environmental product data with those of other materials, we have firmly committed ourselves to a policy of total product transparency. We openly and voluntarily communicate the ecological balance sheets of our wood-based products in our Environmental Product Declarations (EPDs). Each EPD is issued by the Institute Construction and Environment e.V. (IBU) in a format which was developed on the basis of internationally valid ISO standards in close collaboration with building and environmental authorities in Germany.

We stand for ecology

The only way to master major challenges is for all players to pull on one rope. One of the biggest and most urgent tasks facing humanity today is to protect the environment. 'Together we are strong!' – this statement also applies to achieving the sustainability goals we have set ourselves. All of our staff are involved in protecting the environment on a day-to-day basis. Each and every one of them is appropriately informed, instructed and trained. This ensures that every department has the environmental expertise it requires.

We use our 'management for the earth' programme to raise the level of environmental awareness in the entire SWISS KRONO team. Our environmental management efforts focus on achieving the eco-efficiency defined in our corporate objectives. Every product that leaves our factory must exhibit both excellent price/performance and superb environmental compatibility. This starts with the exclusive use of legal, certified raw materials from sustainably managed forests, continues with rigorously monitored production, and is also ensured during subsequent utilisation and ultimate disposal of our products.

We have big plans

We have a clearly defined goal: we want you, us and future generations to be able to enjoy living in good health on our unique blue planet tomorrow as well. We are therefore continuing to develop eco-friendly wood-based materials which are healthy for you and the environment alike. Right now we are preparing EPDs for all of our Kronotex laminate floorings to facilitate direct comparison and checking of their environmental benefits.

Has our environmental commitment piqued your curiosity? We'll be happy to answer your questions. Simply e-mail us at sales.floor@swisskrono.de



Made in Germany





A floor is the foundation for every type of room design, and hence the basis for creating one's own sense of what life should be all about. For this purpose, Kronotex opens up a completely new world for you. Experience laminate floors which meet all demands, which feature unique aesthetics and top-class quality. There is no limit to where your imagination can carry you!

		· ·
Characteristics		5
Product overvi	6	
MAMMUT plus	AC 5 10 mm	8
MAMMUT	AC 5 12 mm	12
ROBUSTO	AC 5 12 mm	18
AMAZONE	AC 5 10 mm	22
EXQUISIT plus	AC 4 8 mm	26
EXQUISIT	AC 4 8 mm	30
GLAMOUR	AC4 8 mm	36
MEGA	AC 4 8 mm	42
DYNAMIC plus	AC 4 8 mm	46
DYNAMIC	AC4 8 mm	50

Structures and surfaces

Online Floor Studio 56
Panel construction 58
Technical information 60
Accessories 61
Quality on principle 69


Our Environmental Product Declarations (EPDs) are globally acknowledged and accepted Type III environmental labels conforming to ISO 14025.

Structures











ST (stone):


distinctive stone







Surfaces



Characteristics



Kronotex floors are low-maintenance and hard-wearing.



Kronotex floors are abrasion-resistant.



Kronotex floors are produced from natural sustainable raw materials.



Kronotex floors are comfortable underfoot.



Kronotex floors are well suited for installation over subfloor heating.



Kronotex floors are stain-resistant.

Individual features



These panels are especially long.



These panels are especially wide.



These panels are especially narrow.



These panels have a special surface structure.



high gloss surface



A snap-together system makes the flooring even easier to install.



These panels feature a 45° sloped edge. When they are joined together, a V-groove forms, producing a natural solid wood character. V4 – all the way round



antistatic





Kronotex floors are flame resistant.



Kronotex floors are largely resistant to cigarette burns.



Kronotex floors are non-fading and retain their brilliance over many years.



Kronotex floors are rugged, load and impact-resistant.



KRONOTEX PRODUCT OVERVIEW

MAMMUT plus

PANEL 1845 x 244 x 10 mm BOX 4 Panels | 1.800 m² PALLET 42 Boxes | 75,600 m²





ROBUSTO

PANEL 1375 x 188 x 12 mm

PALLET 56 Boxes | 72,380 m²

BOX 5 Panels | 1,293 m²













PANEL 1845 x 188 x 12 mm **BOX** 4 Panels | 1.387 m² **PALLET** 56 Boxes | 77,697 m²











COMMERCIAL 33 AC 5

COMMERCIAL 33 AC 5

COMMERCIAL 33 AC 5

AMAZONE

PANEL 1380 x 157 x 10 mm BOX 6 Panels | 1,300 m² PALLET 40 Boxes | 52,000 m2











EXQUISIT plus

PANEL 1380 x 244 x 8 mm BOX 8 Panels | 2,694 m² PALLET 42 Boxes | 113,138 m²









EXQUISIT



PANEL 1380 x 193 x 8 mm BOX 8 Panels | 2,131 m² PALLET 56 Boxes | 119,320 m²









GLAMOUR

PANEL 644 x 310 x 8 mm **BOX** 10 Panels | 1.996 m² PALLET 42 Boxes | 83.849 m²

PANEL 1376 x 193 x 8 mm **BOX** 8 Panels | 2.125 m² PALLET 32 Boxes | 68,000 m²











COMMERCIAL 32 AC 4

ABRASION CLASS AC 4





MEGA

PALLET 45 Boxes | 95,502 m²









COMMERCIAL 32 AC 4

DYNAMIC plus

PANEL 1380 x 193 x 8 mm **BOX** 8 Panels | 2,131 m² **PALLET** 56 Boxes | 119,320 m²







COMMERCIAL 32 AC 4

DYNAMIC

PANEL 1380 x 193 x 8 mm

BOX 8 Panels | 2,131 m²

PALLET 56 Boxes | 119,320 m²







COMMERCIAL 32 AC 4













COMMERCIAL 33 AC 5









MAMMUT Plus























MAMMUT plus

USE CLASS 33 | AC 5 The best and more. This is the promise of the new decors of the MAMMUT plus collection from Kronotex. While exhibiting the same technical mastery as all MAMMUT flooring, this new line PANEEL 1845 x 244 x 10 mm offers you even more authenticity, an even larger choice of styles and even greater perfection. Apart from its incredible robustness and versatility, MAMMUT plus also raises the bar in other PALLET 42 boxes | 75,60 m² ways. Its extra-wide panels complement the existing extra-long and extra-sturdy versions of the MAMMUT family. And the decors seduce you with their elegantly authentic natural wood look, which can't help but add posh country-style comfort to your home.





































1-STRIP | CP | V4





USE CLASS 33 | AC 5 For many, the best is just about good enough. And if you are always striving towards perfection as well, then there is only one floor for you: MAMMUT from Kronotex. It combines the best fea-PANEL 1845 x 188 x 12 mm tures of ROBUSTO, DYNAMIC and EXQUISIT, and is thus the absolute Nonplus-Ultra of laminate BOX 4 panels | 1,387 m² floors. Whether used universally, for extremely heavy loads or to create a sophisticated and PALLET 56 boxes | 77,697 m² natural look, MAMMUT is a floor which can meet all requirements. The panels are extra hard, extra long and, what's more, extra practical. An outstanding feature of the patterns and hues is their country cottage character and the fascinating, authentic natural wood look.














































USE CLASS 33 | AC5

PANEEL 1845 x 188 x 12 mm **BOX** 4 panels | 1,387 m²


PALLET 56 boxes | 77,697 m²















RIP OAK WHITE D 3181



HARBOUR OAK D 3570

1-STRIP | ER | V4





















ROBUSTO


USE CLASS 33 | AC 5 There are situations in life where one needs a thick skin. Where one has to be very resilient and tough. Which is why ROBUSTO is also the perfect floor for extreme levels of use. With its PANEEL 1375 x 188 x 12 mm high-density, 12-mm thick fibreboard and an especially wear-resistant surface, it can cope BOX 5 panels | 1,293 m² with pretty much anything to which it is exposed. Even if used for commercial purposes. Its PALLET 56 boxes | 72,38 m² CLIC tongue-and-groove connection system will never disappoint in any situation as it was specially developed to hold up under the highest pressure.





























AMAZONE

USE CLASS 33 | AC 5 Be graceful. Prove style. With AMAZONE, the floor for everyone who appreciates the exclusive and the extraordinary. It combines conventional beauty with individual fashioning opportuni-PANEEL 1380 x 157 x 10 mm ties, and thus lends that special something to every setting. AMAZONE floorings are narrow BOX 6 panels | 1,30 m² and long, which creates a particularly graceful look. This also helps create the most fascinat-PALLET 40 boxes | 52,00 m² ing of patterns. Whether you are aiming at a systematic, individual or absolutely noble look, this floor can be fashioned to meet all your ideas with its sophisticated patterns and hues.











EXQUISIT Plus

































EXQUISIT plus

USE CLASS 32 | AC4 This brand's decors feature a wide range of carefully selected, exquisite natural wood styles. Their sublime, evenly embossed, subtly gleaming surfaces and virtually nature-identical grain PANEEL 1380 x 244 x 8 mm drive home this collection's perfection and exceptional quality. The extra-wide panels invite BOX 8 panels | 2,694 m² you to create elegant, spacious rooms with a very special, warm feel-good ambiance. The PALLET 42 boxes | 113,138 m² precisely milled V-grooves are the finishing touch to this attractive, real-looking plank floor.
































EXQUISIT

PALLET 56 boxes | 119,320 m² sentative floorboard look.

USE CLASS 32 | AC 4 EXQUISIT is a floor which is as noble and natural as wood. It is perfection itself, radiates warmth and comfort and is as pleasant to walk upon as solid wood. Its synchronised, em-PANEEL 1380 x 193 x 8 mm bossed grain and the matt surface shimmer give it an authentic structure and create a warm, BOX 8 panels | 2,131 m² natural atmosphere. And the carefully milled V-groove also contributes to the typical, repre-











BRAVE D 4782

1-STRIP | UL | V4







PANEEL 1380 x 193 x 8 mm **BOX** 8 panels | 2,131 m²

PALLET 56 boxes | 119,320 m²

PETTERSSON OAK GREY D 4765

1-STRIP | ER | V4






















TITAN D 3544 NATURAL STONE FORMAT | HG | V4









NATURAL STONE FORMAT | HG | V4

GLAMOUR

ABRASION CLASS AC4 A floor unlike any you have ever seen before – one which only Kronotex can create with such luxury and fascination. A highly-elegant look, a compelling effect, a sophisticated design. PANEEL 644 x 310 x 8 mm GLAMOUR cannot fail to impress with its sophisticated, highly exclusive look as well as with its BOX 10 panels | 1,996 m² typical Kronotex usage properties. But this is only to be expected! This floor has been coated PALLET 42 boxes | 83,849 m² with several layers of extremely hard wearing lacquer and designed for a wide variety of uses. And it offers all the guarantees for demanding usage with a high level of comfort and universal



















GLAMOUR

PANEEL 644 x 310 x 8 mm **BOX** 10 panels | 1,996 m²















GLAMOUR

PANEEL 1295 x 310 x 8 mm **BOX** 6 panels | 2,409 m² **PALLET** 36 boxes | 86,724 m²









GLAMOUR

PANEEL 1376 x 193 x 8 mm **BOX** 8 panels | 2,125 m²











PLATEAU MAPLE D 2920

1-STRIP | HG | V4

SONOMA OAK D4186 1-STRIP | HG | V4





























USE CLASS 32 | AC 4 Don't even think of letting the small things hold you back. Instead, show what you're made of. It is clear statements that count, so grab the bull by the horns. With MEGA, the floor for quick, PANEEL 1302 x 326 x 8 mm budget-friendly installation in spacious areas. It is the XXL-version of Kronotex floors but also BOX 5 panels | 2,122 m² shows an abundance of feeling and versatility. Traditional, highly-aesthetic patterns and hues PALLET 45 boxes | 95,502 m² and fascinating design ideas. Mega is the well-shaped floor for every occasion.







DYNAMICPUS

























DYNAMIC plus

USE CLASS 32 | AC 4 Floors have never before been this evocative and lively. DYNAMIC Plus sparkles with an extra dose of passion and esprit. This line's fresh, versatile decors will surprise and inspire you at PANEEL 1380 x 193 x 8 mm the same time. **DYNAMIC** plus allows you to fully express your individuality while letting your BOX 8 panels | 2,131 m² creativity run wild. Its astonishing versatility and strength make it the ideal all-rounder, also PALLET 56 boxes | 119,320 m² suitable for floors with heavy foot traffic. Without sacrificing either superb aesthetics or walking comfort.







































DYNAMIC

USE CLASS 32 | AC 4 DYNAMIC! A floor with which you can express your entire individuality. It can be used anywhere, is extremely resilient and, above all else, offers a unique variety of patterns and hues. All this PANEEL 1380 x 193 x 8 mm makes DYNAMIC the perfect floor for your ideas. Develop your full potential and live your life BOX 8 panels | 2,131 m² as you want to live it. And if you want, your **DYNAMIC** floor can move around with you. It can be PALLET 56 boxes | 119,320 m² easily removed and re-installed somewhere else – even in medium used commercial areas.









USE CLASS 32 | AC4

PANEEL 1380 x 193 x 8 mm BOX 8 panels | 2,131 m² PALLET 56 boxes | 119,320 m²





EVEREST OAK BEIGE D 3081

ONLINE FLOOR STUDIO

Experience the effect of differing woods, ornamentation, wall and furniture colours in an accurate representation of any room. The online floor studio is the ultimate tool for both end user and salesman.



COLOUR SELECTOR

With one mouse click you can select the appropriate shade and tone from our whole collection.

ADDITIONAL SELECTION CRITERIA

These offer the perfect opportunity to narrow down your search for the perfect laminate. You can select from various qualities, including the type of element, the decoration number or the strength.

SURFACE VIEW

Allows you to view elements from both head-on and in perspective.

NOTES

Gives you the opportunity to get extra information about any of our products simply and conveniently.

THE LINK FUNCTION

With the link function, you can put your ideas before customers, suppliers, users and planners.



PANE Kronotex laminates con durability and unique qu

PANEL CONSTRUCTION

Kronotex laminates consist of at least four stable layers which ensure the extraordinary durability and unique quality of floors.


- A The top surface of the flooring consists of a specially resistant protective overlay film. This is fused with an attractive resinated decorative film into a practically abrasion-proof, hardwearing surface.
- **B** Extremely dense HDF fiberboard forms the supportive core (HDF, E1).
- **C** On the undersurface of the core a dampnessimpeding stabilization film ensures and preserves the high structural stability of Kronotex laminates.


The CLIC-System


Installing a floor becomes child's play: A fingertip is enough to join panels — simply unpack, lay, snap together and done. No effort involved — your hammer and block can stay in the tool box.




- Much easier to install.
- Up to 50% quicker to install.
- No hammer, tapping block and pulling bar required.
- Safe and stable.
- You can walk on the floor immediately after installation.









Short side



TECHNICAL INFORMATION

What counts is the right base

Once you have decided for a laminate floor, when quality and appearance are a perfect fit, then you need to check the requirements for perfect installation. Very important is a suitable subfloor: • Sweep the dry floor with a soft broom or use a vacuum

- SWISS KRONO OSB
- old flooring such as wood, firmly-adhering PVC, dry ceramic, linoleum
- cement screed (max. residual moisture: 2.0 CM%)
- · anhydrite cement and anhydrite flow cement screed (max. residual moisture: 0.3 CM%)
- magnesia screed (max. residual moisture: 3.0 CM%)

Have a screed specialist in your area give you a residual moisture report!

Wet rooms, damp rooms, saunas, carpeting and xylolith are not suitable subfloors. The subfloor must be dry, level, firmly affixed and clean. Minor unevenness can be compensated with an underlay mat or - if exceeding 3 mm/m - sanded down or leveled with a filler.

Cleaning and care

Kronotex flooring is not only hygienic but also very easy to look after.

- · Marks and dirt can be wiped off with a slightly damp cloth, following the grain of the plank.
- For stubborn marks, please use Kronotex cleaner.
- · Please use felt pads under furniture and soft rubber cas-
- Place door mats in special areas (hall, entrance). In industrial buildings, provide footwells.
- Minor damage to the floor can easily be repaired with a repair kit
- In case of more serious damage, please consult a specialist.

Floor heating – no problem

Kronotex laminate floors can be readily installed upon underfloor heating, serve well and even help to save on heating costs.

- · Be sure to heat mineral underlays before flooring installation to eliminate any excess dampness.
- Have a heating specialist in your area give you a heating
- Ensure that during installation, the surface temperature of the floor is at least 15 $^{\circ}$ C (60 $^{\circ}$ F).
- For dampness insulation and as a vapor barrier, use a PE film (0.2mm) underlayment. For sound absorption you can use PE foam, Kronotex underlay mat or Kronotex Laminate flooring with Sound Design.
- · At the beginning of each heating period, when you first turn on the underfloor heating, raise the temperature gradually in 5 °C (9 °F) increments per day until you reach the desired temperature. The floor's surface temperature should not exceed 26 °C (80 °F).







SKIRTING BOARD KTEX 1

MDF, for attachment system

19 x 58 x 2400 mm

PACKET 10 pcs
PALLET 56 packets

Available décors: see page 67

ACCESSORIES FOR SKIRTING BOARD KTEX 1

- **#1** External corner piece (2 pcs per packet)
- #2 Internal corner piece (2 pcs per packet) #3 End cap (1 x left and 1 x right per packet)
- #4 Connector (2 pcs per packet)
- #4 Connector (2 pcs pe

BOX 10 packets

Available in these colours: Light brown, dark brown, white, silver and stainless steel loo





SKIRTING BOARD KTEX 4

MDF, for attachment system

22 x 40 x 2400 mm

PACKET 10 pcs
PALLET 72 packets


Available décors: see page 67

ACCESSORIES FOR SKIRTING BOARD KTEX 4


- #1 External corner piece (2 pcs per packet)
- #2 Internal corner piece (2 pcs per packet)
 #3 End cap (1x left and 1x right per packet)
- #4 Connector (2 pcs per packet)

BOX 10 packets

Available in these colours: Light brown, dark brown, white, silver and stainless steel look











ANTISTATIC CLEANER

KRONOTEX INSULATION UNDERLAYS



SOUND Made of natural wood fibre

800 x 675 x 5 mm 1 PACK 20 boards = 10.8 m² 1 PALLET 22 Packs



SOUND PLUS Made of natural wood fibre

800 x 675 x 2.5 mm 1 PACK 20 boards = 10.8 m² 1 PALLET 44 packs

10,000 x 675 x 2.5 mm 1 PACK 1 roll = 6,75 m² 1 PALLET 24 rolls



SILVERLINE

Made of natural wood fibre with aluminium lamination + aluminium-backed adhesive tape


10,000 x 675 x 5 mm 1 PACK 1 roll = 6.75 m² 1 PALLET 20 rolls 60 rolls



GREENLINE

Made of natural wood fibre and vegetable fibre

790 x 590 x 1.8 mm 1 PACK 15 boards = 6.99 m² 1 PALLET 62 packs



BASIC Foam-based

25,000 x 1,000 x 2 mm 1 PACK 2 rolls = 100 m² 1 PALLET 40 rolls



BASIC PLUS Foam-based with flat laminated PE foil

25,000 x 1,000 x 2 mm 1 PACK 4 rolls = 100 m² 1 PALLET 40 rolls



PREMIUM SOUND

PU-based with foil lamination

8,500 x 1,000 x 1.8 mm 1 PACK 1 roll = 8.5 m² 1 PALLET 40 rolls



SUPERIOR SOUND

PU-based with foil lamination

5,500 x 1,000 x 2.8 mm 1 PACK 1 roll = 5.5 m² 1 PALLET 40 rolls

OTHER KRONOTEX **SKIRTINGS**

Available in all laminate flooring decors



Different quantities available by prior arrangement.

* Covered distance from wall w/o clips ** Covered distance from wall with clips

AVAILABLE DECORS FOR SKIRTING BOARDS

Decor no.	KTEX 1	KTEX 4	Decor no.	KTEX 1	KTEX 4	Decor no.	KTEX 1	KTEX 4
D 406	•	•	D 3044	•	•	D 3584	•	•
D 437	•	•	D 3066	•	•	D 3585	•	•
D 654	•	•	D 3068		•	D 3586		•
D 725	•	•	D 3070		•	D 3587		
D 1407	•	•	D 3072		•	D 3590		
D 2304		•	D 3073	•		D 3591		
D 2450	•	•	D 3074	•		D 3592	•	
D 2774	•		D 3075	•		D 3595	•	•
D 2791	•	•	D 3076	•		D 3596	•	•
D 2800	•		D 3077	•		D 3597	•	
D 2801	•		D 3078	•	•	D 4127	•	•
D 2802	•		D 3079	•		D 4152	•	
D 2804		•	D 3081	•		D 4155	•	•
D 2805	•	•	D 3178	•		D 4156	•	•
D 2869	•		D 3179	•		D 4158	•	
D 2870	•		D 3180	•		D 4159		
D 2873	•	•	D 3181	•		D 4163	•	•
D 2905	•	•	D 3187	•		D 4164	•	•
D 2928	•	•	D 3223	•	•	D 4165	•	
D 2929	•	•	D 3224	•	•	D 4166	•	•
D 2930	•	•	D 3229	•		D 4167	•	•
D 2940	•	•	D 3232	•		D 4168	•	•
D 2949	•	•	D 3233	•	•	D 4169	•	•
D 2955	•	•	D 3234	•	•	D 4170	•	•
D 2957	•	•	D 3235	•	•	D 4171	•	•
D 2958	•	•	D 3239	•		D 4172	•	•
D 2961	•	•	D 3241	•	•	D 4173	•	•
D 2963	•		D 3242	•	•	D 4749	•	
D 2967	•		D 3539	•	•	D 4751	•	•
D 2983	•	•	D 3565	•		D 4752	•	
D 2986	•	•	D 3570	•	•	D 4753	•	•
D 2987	•	•	D 3571	•		D 4754	•	•
D 2989	•	•	D 3572	•	•	D 4755	•	•
D 2994	•		D 3573	•		D 4757	•	•
D 2999	•		D 3575	•		D 4759	•	
D 3000	•		D 3576	•		D 4760	•	•
D 3001	•		D 3580	•	•	D 4762	•	•
D 3004	•	•	D 3581	•	•	D 4763	•	•
D 3007	•	•	D 3582	•	•	D 4764	•	•

Decor no.	KTEX 1	KTEX 4
D 4766	•	•
D 4767	•	•
D 4768	•	•
D 4769	•	
D 4770	•	•
D 4771	•	•
D 4773	•	•
D 4774	•	•
D 4775	•	•
D 4779	•	
D 4780	•	•
D 4781	•	•
D 4782	•	•
D 4783	•	•
D 4784	•	•
D 4785	•	•
D 4786	•	•
D 4787		•
D 4788	•	•
D 4789		•
D 4790		•
D 4791	•	
D 4792	•	
D 4793		
D 4794	•	
D 4795	•	
D 4796	•	
D 4797	•	
D 4798	•	

Decor no.	KTEX 6
D 2872	White is recommended
D 2909	•
D 2911	•
D 2913	•
D 2916	•
D 2918	•
D 2919	•
D 2920	•
D 2921	•
D 2935 HG	•
D 3541	Black or white is recommende
D 3542	Black or white is recommende
D 3543	Black or white is recommende
D 3544	Black or white is recommende
D 3545	•
D 3546	Black or white is recommended
D 3547	•
D 3548	•
D 3549	Black or white is recommende
D 3550	Black or white is recommende
D 4178	•
D 4179	•
D 4180	•
D 4181	•
D 4186	•
D 4187	•
D 4188	•
D 4189	•
D 8434	•
U 190 HG	•
U 190 Matt Finish	•
White, chamfered	•
White, sculpted	•



Quality on principle

Not only do SWISS KRONO TEX floors meet the prescribed norms, they consistently exceed them! This is possible because SWISS KRONO TEX adopts a fully-integrated approach to production (from the tree through to the finished panel), and has numerous control and measuring devices at its disposal. For this reason, Kronotex can offer guarantees which go far and beyond warranties under law. You will be hard pressed to find any other producer who can do likewise.

SWISS KRONO TEX GmbH & Co. KG (in the following: Kronotex) provides buyers in addition to the unencumbered guarantee under law, an additional guarantee covering the abrasion resistance of the floor's surface. It extends from the date of purchase and covers the products as follows:

CONDITIONS OF GUARANTEE

Kronotex laminate panels must be checked before and during installation for any defects. No liability is accepted for laminate flooring installed despite visible defects. Kronotex laminate floors must be installed properly according to the instructions, in a dry room, and in accordance with the respective use class. No liability is accepted for Kronotex laminate floors installed in damp rooms. Abrasion areas on Kronotex laminate floors must be clearly visible and at least 1 cm² in size. And in particular the design layer must be completely abraded. No liability is accepted for abrasion on the edges of the elements or for unusual or improper use, and in particular for damage caused by mechanical stress. Validity of guarantee is dependent on regular cleaning and maintenance of Kronotex floors

as described in the care instructions. Claims under guarantee are valid only if submitted within 30 days of ascertaining damage and accompanied by the original receipt from the retailer. In investigating a guarantee claim, Kronotex retains the right to examine the floor in question on site.

OUR GUARANTEE

In cases falling under guarantee, Kronotex will deliver a replacement for the damaged element. If the flooring in question is no longer available, then the buyer can choose a replacement of equal value from the current Kronotex product line. Since an annual 10% depreciation in the value of Kronotex laminates can be assumed, delivery of a compensation product is dependent on payment of the appropriate difference by the

No liability is accepted for further damages, especially consequential damages such as those incurred during installation or removal, or transport costs for damaged Kronotex laminate floors.




















Manufacture and product control are in accordance with DIN EN 13329 | 14978. The right to technical modifications is reserved. As of 06-2016.



SWISS KRONO TEX GmbH & Co. KG Wittstocker Chaussee 1 D-16909 Heiligengrabe Germany sales.floor@swisskrono.de

www.swisskrono.de