

OUR ENVIRONMENTAL PRODUCT DECLARATION

In order for environmental product balance sheets to be meaning-ful, they must be objectively comparable. So to let our customers easily understand and contrast our lifecycle analyses and environmental product data with those of other materials, we have firmly committed ourselves to a policy of total product transparency. We openly and voluntarily communicate the ecological balance sheets of our wood-based products in our Environmental Product Declarations (EPDs). Each EPD is issued by the Institute Construction and Environment e.V. (IBU) in a format which was developed on the basis of internationally valid ISO standards in close collaboration with building and environmental authorities in Germany.

WE STAND FOR ECOLOGY

The only way to master major challenges is for all players to pull on one rope. One of the biggest and most urgent tasks facing humanity today is to protect the environment. 'Together we are strong!' - this statement also applies to achieving the sustainability goals we have set ourselves. All of our staff are involved in protecting the environment on a day-to-day basis. Each and every one of them is appropriately informed, instructed and trained. This ensures that every department has the environmental expertise it requires. We use our 'management for the earth' programme to raise the level of environmental awareness in the entire SWISS KRONO team. Our environmental management efforts focus on achieving the eco-efficiency defined in our corporate objectives. Every product that leaves our factory must exhibit both excellent price/performance and superb environmental compatibility. This starts with the exclusive use of legal, certified raw materials from sustainably managed forests, continues with rigorously monitored production, and is also ensured during subsequent utilisation and ultimate disposal of our products.

WE HAVE BIG PLANS

We have a clearly defined goal: we want you, ourselves and future generations to continue enjoying life and good health on our unique blue planet. We are therefore continuing to develop eco-friendly wood-based materials which are healthy for you and the environment alike. Right now we are preparing EPDs for all of our Kronotex laminate floorings to facilitate direct comparison and checking of their environmental benefits. Has our environmental commitment piqued your curiosity? We'll be happy to answer your questions.

Simply e-mail us at: dehe.sales.floor@swisskrono.com







DID YOU KNOW?

- ... that at the end of their life cycle, our laminate floorings can be recycled as completely harmless residual waste?
- ✓ ... that Kronotex laminate flooring is free of PVC and plasticisers?
- ✓ ... that we openly communicate the life cycle assessments of our wood-based products with the Environmental Product Declaration?"



A floor is the foundation for every type of room design, and hence the basis for creating one's own sense of what life should be all about.

For this purpose, Kronotex opens up a completely new world for you. Experience laminate floors which meet all demands, which feature unique aesthetics and top-class quality. There is no limit to where your imagination can carry you!



WE'RE PASSIONATE ABOUT WOOD

SWISS KRONO - A STRONG BRAND FAMILY

As a Swiss family company, we develop design solutions for sophisticated living spaces made from natural raw materials – in more than 121 countries, with expertise born from years of experience and outstanding interior and exterior results.



PARTNERSHIP

We work together with you to develop first-class solutions that truly suit your needs. We are always at your side, even after the end of a project. Your trust is what drives us.

MADE IN GERMANY

All of our products are designed, manufactured and certified in Germany. This outstanding quality reflects the high demands we place on ourselves every day in order to provide you with the best possible solution.

RESPONSIBILITY

We are dedicated to a high level of resource efficiency and renewable energy. Our strategy: complete usage of material flows, short distances, renewable energy sources and a high level of energy efficiency.

Further information can be found on: **swisskrono.com**



CONTENTS

Structures & surfaces	06
Characteristics / individual features	08
Rooms with high humidity	09
Product overview	10

MAMMUT PLUS



MAMMUT



AQUA ROBUSTO



ROBUSTO



AMAZONE



HERRINGBONE



MEGA PLUS



EXQUISIT PLUS



EXQUISIT



DYNAMIC PLUS




GLAMOUR




The CLIC-System	72
nstallation instructions on YouTube	73
Technical information	74
Accessories	76
Online floor studio	82
Quality on principle	83


STRUCTURES & SURFACES






































CHARACTERISTICS



Kronotex floors are low-maintenance and hard-wearing.



Kronotex floors are flame resistant.



Kronotex floors are largely resistant to cigarette burns.



Kronotex floors are non-fading and retain their brilliance over many years.



Kronotex floors are rugged, load-resistant and impact-resistant.



Kronotex floors are abrasion-resistant.



Kronotex floors are produced from natural sustainable raw materials.



Kronotex floors are comfortable underfoot.



Kronotex floors are well suited for installation over subfloor heating.



Kronotex floors are stain-resistant.



Kronotex floors are virtually scratchproof.

INDIVIDUAL FEATURES



These panels are especially long.



These panels are especially wide.



These panels are especially narrow.



These panels have a special surface structure.



High gloss surface



Antistatic



A and B panels must be available in equal numbers. Note the marking on the package.





These panels are equipped with a 45° bevelled edge all around. When joined together, a V-groove is created, which conveys a natural solid wood plank character.



Fast installment thanks to an easy-to-use interlocking system for the long and short sides of the boards.





A 5G Clic system makes the flooring even easier to install.



ROOMS WITH HIGH HUMIDITY







AQUA-PEARL System

Thanks to our special AQUA-PEARL System, our **AQUA ROBUSTO** laminate is highly water-repellent, resistant to all kinds of liquids and extremely durable. The combination of force-fit locking system, mounting board highly resistant to swelling and specially designed skirting board AQUA 60/80 allows liquids to stand for up to 24 hours (according to NALFA surface swell test).

Selected collections with moisture protection

We have made the best even better: high-quality decors from the **MAMMUT PLUS, MAMMUT, ROBUSTO, AMAZONE** and **HER-RINGBONE** laminate collections have been optimised in order to withstand moisture penetration even longer. The resin-rich pine from Mark Brandenburg and special gluing processes ensure significantly reduced swelling of the laminate flooring.



The natural product is particularly suitable for children and pets who are in frequent contact with the laminate flooring. It can easily forgive a mishap or two.



The natural product is particularly suitable for children and pets who are in frequent contact with the laminate flooring. It can easily forgive a mishap or two.



The AQUA PEARL System floors can easily be cleaned with a damp mop and steam cleaner (household appliance).



The floors with moisture protection can be easily cleaned with a **damp mop**.



Liquids and standing water should be removed within 24 hours (according to NALFA surface swell test).



Although designed for improved resistance to water and moisture, it is not waterproof and excessive wetting and standing water should be avoided.

Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.

Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.

PRODUCT OVERVIEW

MAMMUT PLUS

PANEL 1845 × 244 x 10 mm | **BOX** 4 panels | 1,800 m² | **PALLET** 42 boxes | 75,600 m²





















AC 5 **COMMERCIAL 33***

MAMMUT

PANEL 1845 × 188 x 12 mm | **BOX** 4 panels | 1,387 m² | **PALLET** 56 boxes | 77,697 m²



















AC 5 **COMMERCIAL 33***

AQUA ROBUSTO

PANEL 1380 × 191 x 12 mm | **BOX** 5 panels | 1,318 m² | **PALLET** 56 boxes | 73,808 m²

















AC 5 **COMMERCIAL 33***

ROBUSTO

PANEL $1375 \times 188 \times 12 \text{ mm}$ | **BOX** 5 panels | 1,293 m² | **PALLET** 56 boxes | 72,380 m²

















AC 5 **COMMERCIAL 33***

AMAZONE

PANEL 1380 × 157 x 10 mm | **BOX** 6 panels | 1,300 m² | **PALLET** 40 boxes | 52,000 m²

















AC 5 **COMMERCIAL 33***



HERRINGBONE

PANEL 665 × 133 x 8 mm | **BOX** 14 panels | 1,238 m² | **PALLET** 96 boxes | 118,848 m²













AC 4 **COMMERCIAL 32****

MEGA PLUS

PANEL 1380 × 326 x 8 mm | **BOX** 5 panels | 2,249 m² | **PALLET** 45 boxes | 101,223 m²


















AC 4 **COMMERCIAL 32**

EXQUISIT PLUS

PANEL $1380 \times 244 \times 8 \text{ mm}$ | **BOX** 8 panels | 2,694 m² | **PALLET** 42 boxes | 113,138 m²













AC 4
COMMERCIAL 32

EXQUISIT

PANEL $1380 \times 193 \times 8 \text{ mm}$ | **BOX** 8 panels | 2,131 m² | **PALLET** 56 boxes | 119,320 m²













AC 4
COMMERCIAL 32

DYNAMIC PLUS

PANEL 1380 × 193 x 8 mm | **BOX** 8 panels | 2,131 m² | **PALLET** 56 boxes | 119,320 m²











AC 4
COMMERCIAL 32

GLAMOUR STONE

PANEL 644 × 310 x 8 mm | **BOX** 10 panels | 1,996 m² | **PALLET** 42 boxes | 83,849 m²











AC 4

COLOUR

PANEL 644 × 310 x 8 mm | **BOX** 10 panels | 1,996 m² | **PALLET** 42 boxes | 83,849 m²







AC 4

MAX

PANEL 1220 × 610 x 8 mm | **BOX** 4 panels | 2,977 m² | **PALLET** 30 boxes | 89,31 m²









AC 4

WOOD

PANEL 1220 × 193 x 8 mm | **BOX** 8 panels | 1,884 m² | **PALLET** 36 boxes | 67,81 m²











AC 4

 $^{^{*}}$ Minimum requirements for the underlay material are CS 60 kPa and DL 2 according to EN 16354.

^{**} Minimum requirements for the underlay material are CS 120 kPa and DL 2 according to EN 16354.





MOUNTAIN OAK NATURE

A LOVE OF DETAIL

With its particularly wide panels, MAMMUT PLUS makes for an extremely elegant atmosphere. And so this floor is particularly suitable for larger rooms, effectively underlining their spacious architecture. However, MAMMUT PLUS reveals its real greatness not only in its width, but also in its length. And that's not all: an immaculate natural wood look, realised to the highest degree of authenticity – there can hardly be a better combination of robustness and naturalness. MAMMUT PLUS is therefore the right choice for anybody who sets the highest standards for the ambience of their surroundings.





In capturing the charm of a bygone era, they have found a perfect product in the form of Mammut Plus laminate flooring that satisfies both the desire for a natural look and the highest standards, as well as being so robust that Emma can play around on it to her heart's content.



MAMMUT PLUS

USE CLASS 33 | AC 5

BOX 4 panels
1,800 m²

PALLET 42 boxes 75.600 m²

244 mm

42 boxes 75,600 m² 10 mm 1 1845 mm































The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.

































MOUNTAIN OAK BEIGE

STYLE IS HERE A PHILOSOPHY OF LIFE

Classic aesthetics and functionality are successfully combined here. Anyone who appreciates the unmistakable, natural-looking appearance of oak planks and, at the same time, wants maximum load-bearing capacity, will find that MAMMUT meets both requirements. The perfection achieved in this way is rightly regarded as the top product among laminate floorings. Especially since here — as in all Kronotex collections — great importance is attached to sustainability. Whether you opt for more traditional colour nuances or a modern colouring in white or grey — with its particularly long and hard-wearing panels, MAMMUT is the crowning glory of the timeless country house look. Because this classic of





Lars lives and works in a self-constructed workshop in the countryside. A central factor in his life is the sustainable resource of wood. As a trained carpenter and wood artist, he knows this material inside out.

Lars decided to use Mammut laminate flooring for the design of his apartment – because nobody can fool him about wood: only the best is good enough.



MAMMUT

33 | AC 5

4 panels 1,387 m² 56 boxes

77,697 m²

USE CLASS

BOX

PALLET

12













12 mm





The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.

























MAMMUT















USE CLASS $33 \mid AC \mid 5$

PANEL $1845 \times 188 \times 12 \text{ mm}$ | **BOX** 4 panels | 1,387 m² | **PALLET** 56 boxes | 77,697 m²


































THE UNCOMPLICATED ALL-ROUNDER

When it comes to the relationship between laminate flooring and water, you will hear that great care is required – but not with our AQUA ROBUSTO collection. No matter whether it is a fallen flower vase, a leaking heater or the water spilled from the bowl of your beloved pet – all this leaves barely a trace on AQUA ROBUSTO. Thanks to a highly swell-reduced carrier plate and a force-locked locking system, this product line is extremely water-repellent, resistant to all types of liquids, and highly resilient. Need proof? Gladly: in combination with the AQUA skirting board, AQUA ROBUSTO can resist standing liquids for 24 hours without any signs of fatigue (according to NALFA test).





With the goal of combining aesthetics and functionality in the design of her shop, Anna opted for a very special laminate flooring.

In addition to its visual appearance, it was important to find a product that would meet all the demands of daily work, is forgiving and, at the same time, would emphasise the unusual style of Anna's shop.





AQUA ROBUSTO












USE CLASS 33 | AC 5 **BOX** 5 panels

1,318 m²

PALLET 56 boxes
73.808 m²

56 boxes 73,808 m²





Liquids and standing water should be removed within 24 hours. Please find additional information on page 9.



























27

THE WORKAHOLIC: FOR PERMANENT STRESS

If load-bearing capacity is a priority when choosing the floor, it is clear what you should choose: namely – nomen est omen – RO-BUSTO. With a high-density, 12-millimetre-thick carrier plate and the Clic system, which was developed for peak loads, ROBUS-TO stands for maximum resistance. Not to mention its surface, which can withstand a lot. A floor on which you can make a lot of demands without any problems and which retains its original beauty for many years even when used commercially.






We are once again with Lars. He shows us how life and work form a unity for the artist. He takes us to his workshop with adjacent studio.

We stand in his dream workshop and feel the passion for the material of wood that drives Lars!

So, you cannot make an omelette without breaking eggs? But that doesn't bother the Robusto laminate, because it lives up to its name in terms of resilience.



ROBUSTO











 USE CLASS
 33 | AC 5

 BOX
 5 panels 1,293 m²

 PALLET
 56 boxes



72,380 m²

12 mm



The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.

























ROBUSTO











USE CLASS 33 | AC 5

PANEL 1375 \times 188 \times 12 mm | **BOX** 5 panels | 1,293 m^2 | **PALLET** 56 boxes | 72,380 m^2

































AMAZONE MONTMELO OAK SILVER

FEEL THE LIGHTNESS OF BEING

The grace of the slender line – this is how the AMAZONE collection could be aptly characterised. Extra narrow panels accentuate the lines that seem to separate and join them at the same time. A floor for lovers of delicate elegance, and which is particularly suitable for smaller rooms, as its graceful lines give them the appearance of optical extension. The collection captivates with a variety of different decors, from almost monochrome to clearly patterned, which opens up a lot of space for different individual design preferences.





In times of stress and a hectic pace of life, Jette from Berlin shows us how she finds her inner balance. She has created her own little oasis at home. Here, she teaches yoga and passes on the art of conscious living with great passion.

Always in flux is her motto – and this also applies to the design of her yoga studio.

At her feet, the Amazone laminate impresses with its graceful lightness. The ideal ground for coming into harmony with nature.




AMAZONE

USE CLASS 33 | AC 5

BOX 6 panels
1,300 m²

PALLET 40 boxes


40 boxes 52,000 m²



10 mm 🛊





















The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.





















HERRINGBONE

PISA OAK

A CLASSIC - NEWLY LAID

What do you associate with a herringbone floorboard? Probably the graceful elegance of sophisticated country estates, venerable castle walls, Viennese coffee houses or the foyers of opera houses and theatres. And this is exactly the elegance that you can now bring into your own home - with our HERRINGBONE collection. It enhances your rooms with an Art Deco and Art Nouveau ambience. And so, in combination with modern interior design, you can create superbly attractive contrasts between tradition and modernity, between fashion and history, in your own living space. HERRINGBONE - this is a completely new laying technique in the world of laminate flooring, of through which you can easily create a floor covering with a very complex appearance.



JAN (44) Freelancer

Jan let us have a look round his apartment. Far away from the mainstream, the freelancer lives in a stylish loft in Rostock.

This creative artist attaches great importance to quality and to an unusual lifestyle.

His sense of taste captivates with the combination of classic elements and bold contrasts. His credo: everything besides the ordinary - and this also extends to his choice of the Herringbone laminate.

Jan's herring typ! 2 packets of pickled herrings

1 cup of cream

3 tosp mayonnaise

1 apple 1 cup natural yoghurt 3 gherkins 3 eggs, cooked vinegar

salt, pepper

HERRINGBONE







USE CLASS 32 | AC 4 14 panels

1,238 m² 96 boxes **PALLET** 118,848 m²

665 mm

133 mm

BOX

8 mm 🛊



The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.




























MEGA PLUS HELLA OAK

VARIATIONS ON LAMINATE

The collection for people who love the extraordinary – that is MEGA PLUS. This product line offers you not only a wide range of design options with natural stone decors in a tile look, but also extravagant wood decors in particularly wide panels with which you can create particularly vibrant floor patterns. With this wide range of different shapes and decors, practically all your special wishes can be fulfilled. This means that practically anyone who wants to design their home in a particularly individual way with a somewhat more unusual living ambience can realise their ideas. Give free rein to your creativity!





This is Ole from Bremen. This open-minded Northerner has recently fulfilled his dream of opening his own vegan restaurant. It was much more difficult for him to decide what to put on the menu than what to put on the ground.

Kronotex's ecological philosophy and the huge selection of decors immediately convinced the environmentalist.

He opted for a laminate flooring from the MEGA PLUS collection that was full of character and contrasts, with a massive presence that perfectly matches him and his concept: simply stylish!



MEGA PLUS

 USE CLASS
 32 | AC 4

 BOX
 5 panels

 2,249 m²
 45 boxes


























Appelit

MEGA PLUS

 USE CLASS
 32 | AC 4

 BOX
 5 panels

 2,249 m²
 45 boxes

101,223 m² 8 mm \$ 326 mm

Natural stone format XL. Long plank with visual centre joint.






















MEGA PLUS

 USE CLASS
 32 | AC 4

 BOX
 5 panels

 2,249 m²
 45 boxes

45 boxes 101,223 m² 8 mm \$


































ORIENTAL OAK WHITE

TIMELESS COMPANION

Perfection in panel form: with the EXQUISIT PLUS collection, you can easily create a feel-good atmosphere. The extra-wide panels in various natural wood looks invite you to create an ambience of elegance and generosity. Feel the combination of warmth and nature – noble and high-quality, furnished with embossed grain and a matt shimmer. The precisely milled V-groove completes the convincing appearance, as you would expect from a plank floor. That is the perfection you dream of.



My name is Kassiopeia and because everyone has just gone out, I will now explain to you why my master and mistress chose this floor.

I think they really go for an exquisite and special style. Back then, they were looking for a laminate that radiated warmth and cosiness. Were they thinking of me at the same time?



FUNFACT:

Turtles can see better than humans!

Some of them can even perceive infrared or ultraviolet light!

EXQUISIT PLUS

USE CLASS 32 | AC 4

BOX 8 panels 2,694 m²

PALLET 42 boxes 113,138 m²

1380 mm > 244 mm

8 mm 🛊

Just take it slow...













































EXQUISIT PLUS













USE CLASS 32 | AC 4

PANEL 1380 \times 244 \times 8 mm | **BOX** 8 panels | 2,694 m^2 | **PALLET** 42 boxes | 113,138 m^2


































THE BEST SELECTION

The plank floor – a real classic that simply never loses its appeal. With our EXQUISIT collection, you can bring this charm into your own home - coupled with the numerous advantages of a modern and high-quality laminate flooring. EXQUISIT radiates cosiness every day with the naturalness and appearance of solid wood. Thanks to the embossed grain, the floor is an elegant and authentic experience, both visually and haptically. Last but not least, the milled V-groove underlines the natural impression and creates a look that resembles

that of a good old plank floor.





After intensive planning, he realised a longcherished dream and built himself a private wine cellar.

The Exquisit Ahota laminate flooring from Kronotex, which Franz has chosen, is just as exquisite as the wines themselves.




EXQUISIT

 USE CLASS
 32 | AC 4

 BOX
 8 panels 2,131 m²


PALLET 56 boxes 119,320 m²



lime


















































EXQUISIT











USE CLASS 32 | AC 4

PANEL 1380 \times 193 x 8 mm | **BOX** 8 panels | 2,131 m^2 | **PALLET** 56 boxes | 119,320 m^2









































Wanderfust - because nature must be felt


58

MAPLE

BRINGING DYNAMISM INTO THE HOME

The big plus in joie de vivre – that's the DYNAMIC PLUS collection. Unfold your individuality and find your decor in a selection of the highest variety. DYNAMIC PLUS is therefore the ideal floor for your ideas – and for a long time to come! Because it is universally usable and very resilient. DYNAMIC PLUS can even be lightly and easily integrated into any extensions or a new installation at a different location. This applies even to medium commercial use. Be inspired by the liveliness and enjoy the comfort of this fresh collection for many years to come!





Caro and Niklas met on a journey. Freshly in love, they are in seventh heaven. The young, happy couple is full of joy and energy.

They recently moved into their first shared apartment. Why have they decided on Floor Dynamic Plus? This laminate enjoys travelling and life just as much as the two of them. Whether tango in high heels or polka in slippers – this floor has swing!




DYNAMIC PLUS

 $\begin{array}{lll} \textbf{USE CLASS} & 32 \mid AC \mid 4 \\ \textbf{BOX} & 8 \mid 2,131 \mid m^2 \\ \end{array}$

PALLET 56 boxes 119,320 m²

*in **DYNAMIC** wrapping



8 mm **\$**






Time Parel





































DYNAMIC PLUS












PANEL $1380 \times 193 \times 8 \text{ mm}$ | **BOX** 8 panels | 2,131 m² | **PALLET** 56 boxes | 119,320 m²
























GLAMOUR MONREAL SLATE

1 1 1

A TOUCH OF EXTRAVAGANCE

Exclusivity is easy to install today: whether marble, mosaic or a high-quality natural wood look – when it comes to elegant, exciting and sometimes unusual decors, it has to be GLAMOUR. This collection in particular offers an extraordinary range and a real wow effect. But GLAMOUR is not only beautiful – the floor has to withstand a lot. Thanks to electron beam hardening and multi-layer painting, it is designed for intensive private use with maximum comfort. And last but not least, the variety does not end with the decors: GLAMOUR panels are available with a high gloss effect, extra wide and with V-groove.



ELISABETH (58)
EDITOR

At home in the wide world, fashion editor Elisabeth from Düsseldorf has already seen and experienced a lot. Today, she is giving us an exclusive look into her wardrobe.

We see the high demand on quality and extravagance not only in the exquisite selection of her clothes. The appearance of the floors is also simply glamorous and could easily replace the red carpet.

"STRESS – I DON'T

KNOW THAT.
I ONLY KNOW STRASS.

I'M IN THE FASHION BUSINESS!"

- Karl Lagerfeld

GLAMOUR STONE



8 mm 🛊















D 2909
Botticino Classico Dark
Natural stone format | HG | V4



D 2911Botticino Classico Light
Natural stone format | HG | V4



D 2921 Carrara Marmor Natural stone format | HG | V4



















GLAMOUR COLOUR

 $\begin{array}{lll} \textbf{USE CLASS} & & \text{AC 4} \\ \textbf{BOX} & & 10 \text{ panels} \\ \textbf{1,996} \text{ m}^2 \\ \textbf{PALLET} & & 42 \text{ boxes} \\ 83,849 \text{ m}^2 \\ \end{array}$





8 mm 🛊














GLAMOUR MAX

 $\begin{array}{lll} \textbf{USE CLASS} & & \text{AC 4} \\ \textbf{BOX} & & 4 \text{ panels} \\ \textbf{2,997 m}^2 \\ \textbf{PALLET} & & 30 \text{ boxes} \\ 89,31 \text{ m}^2 \\ \end{array}$



















D 3550Grey
HG or Matt Finish

GLAMOUR WOOD

USE CLASS AC 4 BOX 8 panels 1,884 m²

PALLET 36 boxes

67,81 m²




































THE CLIC-SYSTEM





Installing a new floor is now playfully easy: simply press the panels down with a finger, and they snap audibly into place. Take them out of the box, insert, push down and you're done! The snap-together 'Clic' system is specially engineered to withstand peak loads. Also globally unique is the fact that Kronotex uses an optimised profile for each flooring thickness, which makes an especially big difference with 10 mm and 12 mm laminate. Professional installers and DIY enthusiasts alike greatly appreciate the advantages!



PANEL CONSTRUCTION



Kronotex laminates consist of at least four stable layers which ensure the extraordinary durability and unique quality of floors.

- A The top surface of the flooring consists of a specially resistant protective overlay film. This is fused with an attractive resinated decorative film into a practically abrasion-proof, hard-wearing surface.
- **B** Extremely dense HDF fiberboard forms the supportive core (HDF, E1).
- **C** On the undersurface of the core a dampnessimpeding stabilisation film ensures and preserves the high structural stability of Kronotex laminates.

INSTALLATION INSTRUCTIONS ON YOUTUBE

73

DIY expert Thomas provides tips and tricks for laying laminate flooring in six easy steps.











Door frame and radiator pipes




Care and repair



Impact and room noise reduction



Transition strips and skirting boards



Step by step instructions for herringbone laying technique





TECHNICAL INFORMATION

WHAT COUNTS IS THE RIGHT BASE

Once you have decided on a laminate floor, when quality and appearance are a perfect fit, then you need to check the requirements for perfect installation. Very important is a suitable subfloor:

- SWISS KRONO OSB
- old flooring such as wood, firmly-adhering PVC, dry ceramic, linoleum
- cement screed (max. residual moisture: 2.0 CM%)
- anhydrite cement and anhydrite f low cement screed (max. residual moisture: 0.3 CM%)
- magnesia screed (max. residual moisture: 3.0 CM%)

Have a screed specialist in your area give you a residual moisture report!

However, wet rooms, saunas, carpeting and xylolith are not suitable. Damp rooms are only suitable with special laminate designated for this purpose. The subfloor must be dry, level, firmly affixed and clean. Minor unevenness can be compensated with an underlay mat or – if exceeding 3 mm/m – sanded down or levelled with a filler.

CLEANING AND CARE

Kronotex laminate floors are not only hygienic but also very easy to look after.

- Sweep the dry floor with a soft broom or use a vacuum cleaner.
- Marks and dirt can be wiped off with a slightly damp cloth, following the grain of the plank. Special laminate designated for this purpose can also be cleaned with a mop or a household steam cleaner.
- Please use felt pads under furniture and soft rubber castors on chairs.
- Place door mats in special areas (hall, entrance). In industrial buildings, provide footwells.
- Minor damage to the floor can easily be repaired with a repair kit. In case of more serious damage, please consult a specialist.

FLOOR HEATING - NO PROBLEM

Kronotex laminate floors can be readily installed upon underfloor heating, serve well and even help to save on heating costs.

- Be sure to heat mineral underlays before flooring installation to eliminate any excess dampness.
- Have a heating specialist in your area give you a heating report.
- Ensure that during installation, the surface temperature of the floor is at least 15 °C (60 °F).
- For dampness insulation and as a vapour barrier, use a PE film (0. 2mm) underlayment. To dampen sound, use PE foam or Kronotex matt underlay.
- At the beginning of each heating period, when you first turn on the underfloor heating, raise the temperature gradually in 5 °C (9 °F) increments per day until you reach the desired temperature. The floor's surface temperature should not exceed 26 °C (80 °F).




KRONOTEX ACCESSORIES









ACCESSORIES FOR SKIRTING BOARD KTEX 1

	PACKET	вох
1 external corner piece (ECP)	2 pcs	10 packets
2 internal corner piece (ICP)	2 pcs	10 packets
3 end cap (EC)	1 x left, 1 x right	10 packets
4 connector	2 pcs	10 packets
Economy pack	2 ECP, 6 ICP, 2 EC (1 x left, 1 x right)	5 packets

 $A vailable in these \ colours: light \ brown, \ dark \ brown, \ white, \ silver \ and \ stainless \ steel \ look$









ACCESSORIES FOR SKIRTING BOARD KTEX 4

	PACKET	вох
1 external corner piece (ECP)	2 pcs	10 packets
2 internal corner piece (ICP)	2 pcs	10 packets
3 end cap (EC)	1 x left, 1 x right	10 packets
4 connector	2 pcs	10 packets
Economy pack	2 ECP, 6 ICP, 2 EC (1 x left, 1 x right)	5 packets

Available in these colours: light brown, dark brown, white, silver and stainless steel look









KRONOTEX ACCESSOIRES



















OTHER KRONOTEX SKIRTINGS



FLOORING DECORS.

Different quantities available by prior arrangement.



MDF

4 x 25 x 2400 mm

AVAILABLE DECORS FOR SKIRTING BOARDS

81

DECOR NO.	KTEX 1	KTEX 4
D 1407		
D 2304	•	•
D 2450	•	•
D 2774	•	•
D 2800	•	
D 2804	•	•
D 2805	•	•
D 2869	•	
D 2873	•	•
D 2905	•	•
D 2929	•	•
D 2949	•	
D 2955	•	•
D 2957		,
D 2967	•	•
D 2986	•	•
D 2987	•	
D 2999	•	
D 3004	•	•
D 3007	•	•
D 3044	•	•
D 3066	•	•
D 3070	•	•
D 3073	•	
D 3074	•	
D 3075	•	
D 3076	•	
D 3077	•	
D 3079	•	
D 3081	•	-
D 3178	•	
D 3179	•	
D 3180	•	
D 3181	•	
D 3223	•	•
D 3224	•	•
D 3239	•	
D 3241	•	•
D 3242	•	•
D 3516	•	
D 3570	•	•
D 3571	•	
D 3572	•	•
D 3573	•	
D 3585	•	•
D 3590	•	
D 3591	•	
D 3592	•	
D 3597	•	
D 3660	•	•
D 3661	•	•
D 3662	•	•

DECOR NO.	KTEX 1	KTEX 4
D 3663	•	•
D 3664	•	•
D 3665	•	•
D 3668	•	•
D 3669	•	
D 3670	•	
D 3672	•	•
D 3673	•	
D 3676	•	•
D 3678	•	
D 3766	•	
D 3860	•	
D 3861	•	
D 3901	•	
D 4127	•	
D 4152	•	
D 4155	•	•
D 4163	•	•
D 4164	•	•
D 4166	•	•
D 4167	•	
D 4168	•	
D 4169	•	•
D 4170	•	•
D 4171	•	•
D 4609	•	
D 4610	•	
D 4611	•	
D 4612	•	
D 4613	•	
D 4614	•	
D 4636	•	
D 4668	•	
D 4671	•	
D 4672	•	
D 4673	•	
D 4675	•	
D 4676	•	
D 4679	•	
D 4680	•	
D 4681	•	
D 4682	•	
D 4684	•	
D 4685	•	
D 4686	•	
D 4688	•	
D 4689	•	
D 4691	•	
D 4691	•	
D 4694	•	
D 4697	•	
D 4698	•	

D 4699	•
D 4702	• •
	white is recommended
D 4710	•
D 4716	•
D 4725	•
D 4726	•
D 4727	•
D 4727	
	•
D 4731	
	white is recommended
	white is recommended
D 4751	• •
D 4752	•
D 4754	• •
D 4757	• •
D 4763	• •
D 4764	• •
D 4765	• •
D 4766	• •
D 4771	• •
D 4773	• •
D 4779	•
D 4781	• •
D 4782	• •
D 4783	• •
D 4784	• •
D 4785	• •
D 4786	• •
D 4787	• •
D 4791	•
D 4792	•
D 4793	•
D 4794	•
D 4795	•
D 4796	•
D 4797	•
D 4798	•
D 4801	•
D 4805	•
D 4953	• •
D 4954	•
D 4955	•
D 4956	•
D 4957	•
D 4981	•
D 4982	•
D 4983	•
D 4984	•
D 4985	•
D 4989	•
D 4990	•

KTEX 1 KTEX 4

DECOR	NO.	ΚT	EX 1		KTEX 4
D 4991			•		
D 4997			•		
D 4998			•		
P 1201	AQUA	is	reco	mı	mended
P 1202	AQUA	is	reco	mı	mended
P 1203	AQUA	is	reco	mı	mended
P 1204	AQUA	is	reco	mı	mended
P 1205	AQUA	is	reco	mı	mended
P 1206	AQUA	is	reco	mı	mended
P 1207	AQUA	is	reco	mı	mended
P 1208	AQUA	is	reco	mı	mended
P 1209	AQUA	is	reco	mı	mended
P 1210	AQUA	is	reco	mı	mended
P 1211	AQUA	is	reco	mı	mended
P 1212	AQUA	is	reco	mı	mended

DECOR NO.	KTEX 6
Q 001	black or white is recommended
Q 004	black or white is recommended
Q 010	black or white is recommended
D 2909	•
D 2911	•
D 2913	•
D 2916	•
D 2919	•
D 2920	•
D 2921	•
D 2935	•
D 3527	•
D 3528	•
D 3547	•
D 3550	black or white is recommended
D 3685	•
D 3686	•
D 3688	•
D 4178	•
D 4179	•
D 4181	•
D 4187	•
D 4188	•
D 4189	•
D 8434	•

Skirting board may differ from laminate decor in colour and structure.

ONLINE FLOOR STUDIO

Experience the effect of differing woods, ornamentation, wall and furniture colours in an accurate representation of any room. The online floor studio is the ultimate tool for both end user and sales support.



COLOUR SELECTOR

With one mouse click you can select the appropriate shade and tone from our whole collection.

ADDITIONAL SELECTION CRITERIA

These offer the perfect opportunity to narrow down your search for the perfect laminate. You can select from various qualities, including the type of element, the decoration number or the strength.

SURFACE VIEW

Allows you to view elements from both head-on and in perspective.

NOTES

Gives you the opportunity to get extra information about any of our products simply and conveniently.

THE LINK FUNCTION

With the link function, you can put your ideas before customers, suppliers, users and planners.



QUALITY ON PRINCIPLE

Not only do SWISS KRONO TEX floors meet the prescribed norms, they consistently exceed them! This is possible because SWISS KRONO TEX adopts a fully-integrated approach to production (from the tree through to the finished panel), and has numerous control and measuring devices at its disposal. For this reason, Kronotex can offer guarantees which go far and beyond warranties under law. You will be hard pressed to find any other producer who can do likewise.

SWISS KRONO TEX GmbH & Co. KG (in the following: Kronotex) provides buyers in addition to the unencumbered guarantee under law, an additional guarantee covering the abrasion resistance of the floor's surface. It extends from the date of purchase and covers the products as follows:



CONDITIONS OF GUARANTEE

Kronotex laminate panels must be checked before and during installation for any defects. No liability is accepted for laminate flooring installed despite visible defects. Kronotex laminate floors must be installed properly according to the instructions, in a dry room, and in accordance with the respective use class. Abrasion areas on Kronotex laminate floors must be clearly visible and at least 1 cm² in size. And in particular the design layer must be completely abraded. No liability is accepted for abrasion on the edges of the elements or for unusual or improper use, and in particular for damage caused by mechanical stress. Validity of guarantee is dependent on regular cleaning and maintenance of Kronotex floors as described in the care instructions. Claims under guarantee are valid only if submitted within 30 days of ascertaining damage and accompanied by the original receipt from the retailer. In investigating a guarantee claim, Kronotex retains the right to examine the floor in question on site.

OUR GUARANTEE

In cases falling under guarantee, Kronotex will deliver a replacement for the damaged element. If the flooring in question is no longer available, then the buyer can choose a replacement of equal value from the current Kronotex product line. Since an annual 10% depreciation in the value of Kronotex laminates can be assumed, delivery of a compensation product is dependent on payment of the appropriate difference by the buyer. If an equivalent replacement is not available, the buyer can demand financial compensation. In this case Kronotex will reduce the refund amount by 10% for each year of use of the Kronotex laminate flooring. No liability is accepted for financial losses or further damages, especially consequential damages such as those incurred during installation or removal, or transport costs for damaged Kronotex laminate floors.















Our Environmental Product Declarations (EPDs) are globally acknowledged and accepted Type III environmental labels conforming to ISO 14025.

Manufacture and product control are in accordance with DIN EN 13329. The right to technical modifications is reserved. The illustrations may differ from the actual products. As of 02-2020.

Art.-Nr.: T00002 Layout: emotions4life

Pictures: Shutterstock, Adobe Stock,

Döring & Waesch, Sterntaucher, Gordon Wells,

Vogelsänger, Kronotex, emotions4life

EN 005-0220-DW-WEI



SWISS KRONO TEX GmbH & Co. KG Wittstocker Chaussee 1 D-16909 Heiligengrabe / Germany

dehe.sales.floor@swisskrono.com www.swisskrono.de